

Attorney's Docket No. 7331
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Hansen et al.
Serial No.: 09/899,492
Filed: 07/03/2001
For: Machine for Injecting Liquids

Group No.: 1761
Examiner: Alexander, Reginald

Assistant Commissioner for Patents
Washington, D.C. 20231

SUBMISSION OF PROPOSED DRAWING AMENDMENT
FOR APPROVAL BY EXAMINER (37 CFR 1.123)

Attached please find

(check applicable items)

- ☐ a sketch in permanent ink,
- ☒ a copy of the original drawing(s) with red ink markings, showing the proposed changes to the drawing(s) in this application, for which the approval of the Examiner is requested.

Reg. No.: 35,853

Tel. No.: 414/298-8360

Rodney D. DeKruif
SIGNATURE OF ATTORNEY
Rodney D. DeKruif
Reinhart, Boerner, Van Deuren,
Norris and Rieselbach, s.c.
1000 North Water Street, Suite 2100
Milwaukee, WI 53202
P.O. Address

CERTIFICATE OF MAILING/TRANSMISSION (37 CFR 1.10)

I hereby certify that this correspondence is, on the date shown below, being:

MAILING

☒ deposited with the United States Postal Service with sufficient postage as Express Mail No. EV208226840 in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Date: December 6, 2002

FACSIMILE


transmitted by facsimile to the Patent and Trademark Office.


Rodney D. DeKruif
Signature
Rodney D. DeKruif
(type or print name of person certifying)

(Submission of Proposed Drawing Amendment for Approval by Examiner (37 CFR 1.123) [9-16]-page 1 of 1)

#10/DP
12/28/2
RECEIVED
DEC 10 2002
TC 1700

NO RECYCLE NO RESERVOIR





RECYCLE ONE RESERVOIR





Figure 3



RECYCLE WITH OZONE TREATMENT




Figure 5

